



STORMWATER PROGRAM
Post Construction Site Runoff

THE UNIVERSITY OF ALABAMA®

Post Construction Site Runoff

- On February 1, 2011, Alabama Department of Environmental Management (ADEM) issued Phase 2 of The University of Alabama National Pollutant Discharge Elimination System (NPDES) stormwater discharge permit.




Post Construction Site Runoff

- As part of the UA discharge permit, EHS has developed a stormwater management plan which is composed of 6 elements.
 - Post construction site runoff control is one of the six minimum control measures.



Best Management Practices

- The Best Management Practices (BMPs) for the post construction site runoff control measure are:
 - Plan Review
 - Protection of Sensitive Waters
 - Local Interaction




Plan Review

- Construction Administration will review plans to determine if post construction runoff from new and/or redevelopment will adversely affect water quality.
- Plans and methods will be revised to ensure compliance with stormwater guidelines.



Sensitive Waters

- The 303(d) list of impaired waters is reviewed regularly to determine if the section of the Black Warrior River receiving stormwater from UA outfalls is listed.
- As of today, our section of the Black Warrior River is not listed as an impaired body of water.



Local Interaction

- The City of Tuscaloosa also has a Phase 2 NPDES stormwater discharge permit. As adjacent permit holders, there is an amount of interaction and cooperation which is necessary.



Annual Report

- Information related to the post construction site runoff control measure will be included in the annual report.





Environmental Health & Safety

- For any concerns, questions, or comments regarding stormwater, contact Environmental Health & Safety (EHS) at 205-348-5905.